

**From:** [Nancy Jones](#)  
**To:** [Greg Fife](#)  
**Cc:** [Latham, Benjamin](#); [Morgan, Bradley](#); [Bordelon, David](#); [Warr \(Kettler\), Kristie](#); [Fuller, Kris](#); [Matthew Loesel](#); [Bonds, Melissa](#); [Paige Delgado](#); [R6 DWH REOC ESC@EPA](#); [R6 DWH REOC PSC@EPA](#); [Gomez, Tori](#)  
**Subject:** RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling  
**Date:** 06/24/2010 02:06 PM

---

In addition to paint filter test, Vargo convinced me to add ignitability. We plan to stand firm on adding any other tests. Please go ahead and add ignitability. I am sorry for piece, mealings my requests.

▼ [RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling](#)

**RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling** 

**Greg Fife** to: R6 DWH REOC PSC

06/24/2010  
02:00 PM

Cc: "Latham, Benjamin", "Morgan, Bradley", "Bordelon, David", "Warr (Kettler), Kristie", "Fuller, Kris", "Matthew Loesel", "Bonds, Melissa", "Nancy Jones", "Paige Delgado", "R6 DWH REOC ESC", "R6 DWH REOC PSC", "Gomez, Tori"

I have a very hard time believing that our lab cannot run the paint filter test. Its a standard SW-846 method. They have every thing but the paint filters and IN the method are a couple of suggested sources of the elusive paint filters.

[attachment "Paint\_Filter\_Test.pdf" deleted by Nancy Jones/R6/USEPA/US]

▼ [RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling](#)

**RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling** 

**R6 DWH REOC** to: Latham, Benjamin

06/24/2010  
01:38 PM

## PSC

Sent **Paige Delgado**  
by:

Cc: "Morgan, Bradley", "Bordelon, David", Greg Fife, "Warr (Kettler), Kristie", "Fuller, Kris", Matthew Loesel, "Bonds, Melissa", Nancy Jones, R6 DWH REOC ESC, R6 DWH REOC PSC, "Gomez, Tori"

---

Since the QASP says the Houston Lab will run the following analyses: and lists the Paint Filter Test; should we put that one on a separate list since it will go to a different lab? Unless the Houston lab can do it before the samples are collected. For the time being we could say something like:

Samples submitted to a contracted analytical lab (TBD) for the following analysis: Paint Filter Test. (Just a thought).

▼ "Latham, Benjamin" ---06/24/2010 01:04:45 PM---Hi Paige, I've addressed the comments in the attached document. Summary is below:

### **RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling**

**Latham, Benjamin** to: Paige Delgado, Morgan, Bradley, Nancy Jones, Bordelon, David , Greg Fife, Warr (Kettler), Kristie

06/24/2010  
01:04 PM

Cc: "Fuller, Kris", Matthew Loesel, "Bonds, Melissa", R6 DWH REOC ESC, R6 DWH REOC PSC, "Gomez, Tori"

---

Hi Paige,

I've addressed the comments in the attached document. Summary is below:

All sampling equipment will be dedicated, no decon will be required. If fluids are generated, they will be containerized, characterized, labeled and properly disposed. Added Paint Filter Liquids test (note that the EPA Houston Lab is not currently set up to perform this test, however, they are looking into it) Specific nomenclature example has been added for waste samples.

Thanks,  
Ben

**Benjamin J. Latham**

**Weston Solutions, Inc.**

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

[B.Latham@WestonSolutions.com](mailto:B.Latham@WestonSolutions.com)

**From:** Delgado.Paige@epamail.epa.gov  
[mailto:Delgado.Paige@epamail.epa.gov]  
**Sent:** Thursday, June 24, 2010 11:36 AM  
**To:** Morgan, Bradley; Latham, Benjamin;  
Jones.Nancy@epamail.epa.gov; Bordelon, David;  
Fife.Greg@epamail.epa.gov; Warr (Kettler), Kristie  
**Cc:** Fuller, Kris; Loesel.Matthew@epamail.epa.gov; Bonds, Melissa;  
R6\_DWH\_REOC\_ESC@epamail.epa.gov;  
R6\_DWH\_REOC\_PSC@epamail.epa.gov; Gomez, Tori  
**Subject:** Re: FW: Addendum 4.0 to the Water and Sediment Sampling  
QASP - Liquid Waste Sampling

There are a few questions and comments to this. I highlighted them in yellow so they are easy to find.

Thanks!

Paige Delgado  
Federal On-Scene Coordinator  
Prevention and Response Branch (6SF-PO)  
U.S. EPA Region VI  
Office: 214.665.2724  
Cell: 469.371.2529

From: "Morgan, Bradley" <Brad.Morgan@WestonSolutions.com>  
To: Matthew Loesel/R6/USEPA/US@EPA, Paige Delgado/R6/USEPA/US@EPA  
Cc: R6 DWH REOC PSC@EPA, R6 DWH REOC ESC@EPA, "Gomez, Tori"  
<Tori.Gomez@WestonSolutions.com>, "Fuller, Kris" <Kris.Fuller@WestonSolutions.com>, "Bonds, Melissa"

<Melissa.Bonds@WestonSolutions.com>

Date: 06/24/2010 10:38 AM

Subject: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

---

Here is the latest greatest with field edits included,

Tori please upload to Team Link, and PDF and load to OSC.NET

Thanks,

**Brad Morgan**

**Weston Solutions, Inc.**

469) 374.7728 Direct

(972) 9777422 Cell

**From:** Latham, Benjamin

**Sent:** Thursday, June 24, 2010 10:37 AM

**To:** Morgan, Bradley

**Subject:** FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

**Benjamin J. Latham**

**Weston Solutions, Inc.**

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

[B.Latham@WestonSolutions.com](mailto:B.Latham@WestonSolutions.com)

**From:** Latham, Benjamin

**Sent:** Thursday, June 24, 2010 10:24 AM

**To:** 'Jones.Nancy@epamail.epa.gov'

**Cc:** Bordelon, David; Warr (Kettler), Kristie

**Subject:** RE: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Updated Addendum 4.0 is attached.

**Benjamin J. Latham****Weston Solutions, Inc.**

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

[B.Latham@WestonSolutions.com](mailto:B.Latham@WestonSolutions.com)**From:** Jones.Nancy@epamail.epa.gov[<mailto:Jones.Nancy@epamail.epa.gov>]**Sent:** Thursday, June 24, 2010 9:25 AM**To:** Latham, Benjamin**Subject:** Re: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Do you have the revision ready? Need it asap!

-----  
Sent by EPA Wireless E-Mail Services

---

**From:** "Latham, Benjamin" [Benjamin.Latham@WestonSolutions.com]**Sent:** 06/23/2010 05:38 PM AST**To:** "Morgan, Bradley" <Brad.Morgan@WestonSolutions.com>**Cc:** Nancy Jones; "Bordelon, David"

&lt;David.Bordelon@WestonSolutions.com&gt;

**Subject:** RE: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

I found it.

Thanks,

Ben

**Benjamin J. Latham****Weston Solutions, Inc.**

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

[B.Latham@WestonSolutions.com](mailto:B.Latham@WestonSolutions.com)**From:** Morgan, Bradley**Sent:** Wednesday, June 23, 2010 4:31 PM**To:** Latham, Benjamin

**Cc:** jones.nancy@epamail.epa.gov; Bordelon, David  
**Subject:** RE: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Yes – It should be on Team Link – I am checking

**Brad Morgan**

**Weston Solutions, Inc.**

469) 374.7728 Direct

(972) 9777422 Cell

**From:** Latham, Benjamin  
**Sent:** Wednesday, June 23, 2010 4:31 PM  
**To:** Morgan, Bradley  
**Cc:** jones.nancy@epamail.epa.gov; Bordelon, David  
**Subject:** RE: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Hi Brad,

Is there a MS Word copy of this QASP addendum that I can get, all I have is pdf? I'm updating it with some of the specific items that Greg Fife, Gary Moore, and others wanted.

Thanks,

Ben

**Benjamin J. Latham**

**Weston Solutions, Inc.**

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

[B.Latham@WestonSolutions.com](mailto:B.Latham@WestonSolutions.com)

**From:** Morgan, Bradley  
**Sent:** Friday, June 18, 2010 1:10 PM  
**To:** 'loesel.matthew@epa.gov'; 'delgado.paige@epa.gov'; 'delgado.eric@epa.gov'  
**Cc:** Byrum, Alex; 'Jones.Nancy@epamail.epa.gov'; 'moore.gary@epa.gov'; 'zehner.warren@epa.gov'; Bordelon, David; Latham, Benjamin; Warr (Kettler), Kristie; 'r6\_Dwh\_REOC\_ESC@epa.gov'; 'r6\_DWH\_REOC\_PSC@epa.gov'  
**Subject:** Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Please see attached, and forward to anyone I missed.

Thanks,



**Brad Morgan**

***I.T. Manager, Client Service Manager I.T.***

**Weston Solutions, Inc.**

**14160 Dallas Parkway, Ste 850**

**Dallas, Texas 75254**

(469) 374.7728 Direct

(972) 9777422 Cell

[brad.morgan@westonsolutions.com](mailto:brad.morgan@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you. [attachment "Addendum 4 0 to the Water and Sediment Sampling QASP062410 Draft.doc" deleted by Paige Delgado/R6/USEPA/US]

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you. [attachment "Addendum 4 0 to the Water and Sediment Sampling QASP062410 Draft\_Rev1.doc" deleted by Paige Delgado/R6/USEPA/US]

